

## Harman Standard Template - Reception Area - Traditional

### Audio/Video Infrastructure

Quantity	Brand	Part #	Model	Description
1	AMX	FGN3132-SA	NMX-ENC-N3132	H.264 Compressed Video over IP Encoder, PoE, SFP, HDMI
1	AMX	FGN4321-SA	NMX-ATC-N4321	Audio over IP Transceiver
1	AMX	FGN9102	NMX-ACC-N9102	Rack Shelf, 1RU, 2 N-Series Units
1	AKG	2966H00020	CGN521STS	Professional Tabletop Microphone Set
1	BSS	BSSBLU100M	BLU-100	12x8 Signal Processor with BLU link
1	Crown	GCDI2x300BL-U-US	CDi 2 300BL	Analog + BLU link input, 2 channel, 300W per output channel
1	JBL	CSA280Z	CSA 280Z	2 x 80W Audio Amplifiers
2	JBL	Control 23-1L-WH	Control 23-1L-WH	3" 2-Way Surface Mount Spkr, 8 Ohm, White
6	JBL	LCT 81C/T	LCT 81C/T	Low-Profile Lay-In 2' x 2' Ceiling Tile Speaker w 8" driver

### Control

Quantity	Brand	Part #	Model	Description
1	AMX	FG2106-01	NX-1200	NetLinx NX Integrated Controller
1	AMX	FG5968-53	MXT-701	7" Modero X Series G5 Tabletop Touch Panel

### Display

Quantity	Brand	Part #	Model	Description
1	Samsung	PM55H	PM55H	55" Commercial Smart Signage LED Display

### Network Infrastructure

Quantity	Brand	Part #	Model	Description
1	AMX	FGVSW300-10MP	NMX-ENET-300-10-POE	Cisco 300 Series 10-Port PoE

### Power

Quantity	Brand	Part #	Model	Description
1	AMX	FG423-48	PSR5.4	12 VDC, 5.4 A Power Supply

Sources				
Quantity	Brand	Part #	Model	Description
1	Other	-	TV Tuner	IR/RS-232/IP Controlled (HDMI Video output)
1	Other	-	Aux Audio	Auxiliary Audio/Musak

\* THIRD PARTY PRICING IS ESTIMATED AND NOT GUARANTEED BY HARMAN

## Harman Standard Template - Reception Area - Traditional

Architectual Connectivity				
Quantity	Brand	Part #	Model	Description
1	AMX	FGN3132-SA	NMX-ENC-N3132	H.264 Compressed Video over IP Encoder, PoE, SFP, HDMI
1	AMX	FGN4321-SA	NMX-ATC-N4321	Audio over IP Transceiver
1	AMX	FGN9102	NMX-ACC-N9102	Rack Shelf, 1RU, 2 N-Series Units
1	AMX	FG2106-01	NX-1200	NetLinx NX Integrated Controller
1	AMX	FG5968-53	MXT-701	7" Modero X Series G5 Tabletop Touch Panel
1	AMX	FGVSW300-10MP	NMX-ENET-300-10-POE	Cisco 300 Series 10-Port PoE
1	AMX	FG423-48	PSR5.4	12 VDC, 5.4 A Power Supply
1	AKG	2966H00020	CGN521STS	Professional Tabletop Microphone Set
1	BSS	BSSBLU100M	BLU-100	12x8 Signal Processor with BLU link
1	Crown	GCDI2x300BL-U-US	CDi 2 300BL	Analog + BLU link input, 2 channel, 300W per output channel
1	JBL	CSA280Z	CSA 280Z	2 x 80W Audio Amplifiers
2	JBL	Control 23-1L-WH	Control 23-1L-WH	3" 2-Way Surface Mount Spkr, 8 Ohm, White
6	JBL	LCT 81C/T	LCT 81C/T	Low-Profile Lay-In 2' x 2' Ceiling Tile Speaker w 8" driver
1	Samsung	PM55H	PM55H	55" Commercial Smart Signage LED Display
1	Other	-	TV Tuner	IR/RS-232/IP Controlled (HDMI Video output)
1	Other	-	Aux Audio	Auxiliary Audio/Musak

\* THIRD PARTY PRICING IS ESTIMATED AND NOT GUARANTEED BY HARMAN